


VFSP Series Stainless Steel Pallet Scales



OPTION

High quality stainless steel pallet scale with multifunctional T51XW

- Rugged pallet U-frame design
- All stainless steel with IP66 multifunctional indicator and IP68 stainless steel load cells
- Multiple interface and relay options



FOR PRINTERS, CABLES AND SOFTWARE
SEE P. 65-67

Model	M APP	Capacity	Readability (d)	(e)	Platform	Item N°	Price £
VFSP-60051XW		600 kg	100 g		1256 mm x 840 mm	22018760	CALL
VFSP-60051XWM	•	600 kg		200 g	1256 mm x 840 mm	22018762	CALL
VFSP-150051XW		1500 kg	200 g		1256 mm x 840 mm	22018761	CALL
VFSP-150051XWM	•	1500 kg		500 g	1256 mm x 840 mm	22018763	CALL


VFPP Series Pallet Scales



OPTION

High quality painted steel pallet scale with T51P indicator

- Rugged pallet U-frame design
- IP68 stainless steel load cells
- Multiple interface and relay options



FOR PRINTERS, CABLES AND SOFTWARE
SEE P. 65-67

Model	M APP	Capacity	Readability (d)	(e)	Platform	Item N°	Price £
VFPP-60051P		600 kg	100 g		1256 mm x 840 mm	22018756	CALL
VFPP-60051PM	•	600 kg		200 g	1256 mm x 840 mm	22018758	CALL
VFPP-150051P		1500 kg	200 g		1256 mm x 840 mm	22018757	CALL
VFPP-150051PM	•	1500 kg		500 g	1256 mm x 840 mm	22018759	CALL

- Application** Weighing (6 units + custom unit), display hold, dynamic weighing, counting, checkweighing, percentage weighing, auto-tare
- Display** LCD display with white LED backlight plus 3 colour checkweigh LED
- Operation VFSP** Internal universal power supply, 6 x C batteries or optional internal NiMH rechargeable battery
- Operation VFPP** Internal universal power supply or optional internal NiMH rechargeable battery (battery is delivered separately on approved version)
- Communication** RS232 Interface with GMP, Time-Date, optional RS422/485, AC/DC Relay, 2nd RS232
- Construction VFSP** ABS Indicator, black painted steel U-frame, IP67 stainless steel junction box, IP68 OIML R60 Stainless steel load cells
- Construction VFPP** IP66 stainless steel indicator, stainless steel U-frame; IP67 stainless steel junction box, IP68 OIML R60 Stainless steel load cells
- Design Features** Pendulum design feet with removable rubber cap

Accessories	Item N°	Price £
Foot switch	71173378	CALL
Wall Mount Kit VFPP	72200227	CALL
AC Relay Option Kit	80500720	CALL
DC Relay Kit	80500727	CALL
Battery (Rechargeable Kit)	80500729	CALL
RS422/485 (Interface Kit)	80500731	CALL
RS232 (Interface Kit)	80500733	CALL
Mounting kit wall VFSP	80500735	CALL

VE Series Stainless Steel Pallet Scales



Economical stainless steel pallet scale with T32XW indicator

- Affordable without compromising on quality
- Easy to use and clean with stainless steel IP65 indicator and IP67 load cells
- Internal rechargeable battery

Application	Weighing (5 units), basic parts counting
Display	LCD with white LED backlight
Operation	Internal universal power supply or internal rechargeable battery
Communication	RS232 Interface
Construction	IP65 Stainless steel indicator, stainless steel U-frame, 4 x IP67 OIML R60 alloy steel load cells, IP65 stainless steel junction box
Design Features	Indicator with hinged front cover for friendly servicing. U-frame with handle and front wheels



Model		Capacity	Readability (d)	(e)	Platform	Item N°	Price £
VE1500P32XW-GB		1500 kg	500 g		1260 mm x 840 mm	80253281	CALL
VE1500P32XW-M	•	1500 kg		500 g	1260 mm x 840 mm	80253292	CALL



FOR PRINTERS, CABLES AND SOFTWARE SEE P. 65-67

VE Series Pallet Scales



Economical painted steel pallet scale with T31P indicator

- Affordable without compromising on quality
- IP67 alloy steel load cells
- Internal rechargeable battery

Application	Weighing (5 units), basic parts counting
Display	LCD with white LED backlight
Operation	AC adaptor (supplied) or internal rechargeable battery
Communication	RS232 Interface
Construction	ABS Indicator, painted carbon steel U-frame, 4 x H8C IP67 OIML R60 alloy steel load cells, IP65 stainless steel junction box
Design Features	Indicator with reversible rear cover for cable exit above or below the indicator housing, integrated key-hole mounts on back cover. U-frame with handle and front wheels



Model		Capacity	Readability (d)	(e)	Platform	Item N°	Price £
VE1500P31P		1500 kg	500 g		1260 mm x 840 mm	72204372	CALL
VE1500P31P-M	•	1500 kg		500 g	1260 mm x 840 mm	80251859	CALL



FOR PRINTERS, CABLES AND SOFTWARE SEE P. 65-67

Accessories	Item N°	Price £
Wall Mount Kit, painted steel T31P	80251747	CALL


VF Stainless Steel and Steel Pallet Platforms



High quality German engineered construction to ensure durability and reliability

- Rugged pallet U-frame design available in painted mild steel or stainless steel
- 4 IP68 electro-polished stainless steel load cells
- IP67 stainless steel junction box with heavy duty 5m cable



Model		Steel	Painted	Capacity	Platform (mm)	Item N°	Price £
VFSP-600	•	•		600 kg	1256 mm x 840 mm	22015683	CALL
VFSP-1500	•	•		1500 kg	1256 mm x 840 mm	22015684	CALL
VFPP-600			•	600 kg	1256 mm x 840 mm	22015681	CALL
VFPP-1500			•	1500 kg	1256 mm x 840 mm	22015682	CALL


VE Stainless Steel and Steel Pallet Platforms



Value solution for dry and washdown weighing needs

- Integrated lifting handle and rollers for convenient lifting and relocation
- IP65 dust and water immersion protected stainless steel junction box
- Painted carbon steel and stainless steel models available



Model		Steel	Painted	Capacity	Platform (mm)	Item N°	Price £
VE1500PW	•	•		1500 kg	1260 mm x 840 mm	80251483	CALL
VE1500P			•	1500 kg	1260 mm x 840 mm	80251476	CALL

Please refer to page 28 for columns available for all platforms