

SF40A

Full-Featured Impact Printer

- Statistics, totalization and real time clock to complement OHAUS weighing instruments' application modes*
- RS232 interface and PC configuration software
- Ability to print in 13 different languages

* compatible with most of OHAUS products

Application Time, date, statistics, totalization

Design Features Status indicator, 40 characters per line, compatible with continuous labelpaper, perform zero and tare operations directly from the printer



Model	Item N°	Price £
Printer SF40A	30064202	373

Accessories	Item N°	Price £
Cassette, Ink Ribbon	12120798	6
Paper Roll, 57.5 mm 2pcs, SF40A	12120799	8
SF40A Paper rotary axis	30063920	3

STP103

Economical Palm-Sized Thermal Printer

- Ultra compact and features low power consumption
- 42 column printing at a speed of approximately 11.8 lines per second
- Simple paper loading and suspends printing when printing paper becomes low

Design Features Status indicator, paper feed, graphics printing capability



Model	Item N°	Price £
STP103-UK Thermal Printer	80251994	276

Accessories	Item N°	Price £
Thermal Paper Roll for STP103 Printer	80251931	6

Print Cables

Printer Cables	Item N°	Price £	Explorer EX (Version 1 Terminal)	Explorer EX (Version 2 Terminal)	Adventurer AX	Pioneer	Pioneer Plus	MB120, 90	MB 25, 23	Nvaigator	Scout X	Traveler	Defender 2000 TxxP	Defender 3000 TxxP, TxxM	Defender 5000 TxxP	Defender 5000 TxxP 2nd RS232	Defender 7000 T71P	Defender 7000 T71P 2nd RS232	Defender 3000 TxxXW	Defender 5000 TxxXW	Defender 7000 T71XW	Defender 7000 T72XW	CKW	Valor 7000	Ranger 3000	Ranger 4000	Ranger 7000	
Printer cable Adapter SF42, SRP275	80500572	13																										
Printer Cable SF40A	80500552	54																										
Printer Cable STP103	80252584	39																										
Printer cable STP103	80252581	53	•	•	•	•	•	•					•	•	•				•	•	•	•	•		•	•	•	•
Printer Cable CBM910	80252574	39																										
Printer cable CBM910	80252571	53	•	•	•	•	•	•					•	•	•				•	•	•	•	•					
Printer cable Adapter CBM910	80251934	11								•	•	•																
Printer cable Adapter STP103	80251930	11								•	•	•																
Printer cable Adapter SF40A	30059316	11								•		•																
Printer cable,RS232 T4	30057595	43	•	•	•	•	•	•					•	•	•										•	•	•	•
Printer cable SF42 and SRP275	21253677	71	•	•	•	•	•	•					•	•	•										•	•	•	•
Cable SF40A	12122603	54	•	•	•	•	•	•					•	•	•										•	•	•	•

Items 12122603 and 30059316 are included with the SF40A printer package.

ION-100A Ionizer

Increasing weighing accuracy by reducing static electricity

- Fan-free technology neutralizes static with no sample disruption
- an easily replaceable long-running motor
- A compact and versatile design

Application Eliminating static electricity on plastic and glass weighing vessels which are particularly prone to attracting static charges

Design Features Fan-free technology. Replaceable electrodes. Adjustable angle for better alignment with the balance



Model	Item N°	Price £
ION-100A	30095929	842

Accessories	Item N°	Price £
Replacement Electrode ION-100A	30133391	59

Pipette Adjustment Kit

For Explorer Semi-Micro balances

Application Pipette Adjustment for Explorer Semi-Micro balances



Model	Item N°	Price £
Pipette adjustment kit, EX Semi-Micro	30252145	625

PC Cables

PC Cables	Item N°	Price £	Explorer Ex (Version 1 Terminal)	Explorer Ex (Version 2 Terminal)	Adventurer Ax	Pioneer	Pioneer Plus	MB120, 90	MB 25, 23	Nvaigator	Scout x	Traveler	Defender 2000 TxxP	Defender 3000 TxxP, TxxM	Defender 5000 TxxP	Defender 5000 TxxP 2nd RS232	Defender 7000 T71P	Defender 7000 T71P 2nd RS232	Defender 3000 TxxxW	Defender 5000 TxxxW	Defender 5000 TxxxW 2nd RS232	Defender 7000 T71 xW	Defender 7000 T71 xW 2nd RS232	Defender 7000 T72xW	Defender 7000 T72xW 2nd RS232 (COM 2)	CKW	Valor 7000	Valor 7000 2nd RS232	Ranger 2000	Ranger 3000	Ranger 3000 2nd RS232	Ranger 4000	Ranger 4000 2nd RS232	Ranger 7000	Ranger 7000 2nd RS232							
Interface Cable, USB (Type A to B)	83021085	13	•	•				•																•			•															
PC Cable 9 pin	80500552	54														•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Cable, USB-RS232 Converter	30268619	54	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Interface Cable, USB (type A to Mini B)	28120263	13		•																																						
PC Cable 9 pin	410024	62	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Serial Port Data Collection Software

- Free of charge! From OHAUS Partner Portal in the Printers, Software & Accessories section
- Automatic data capture
- Direct data transfer to MS Office Excel, Word, Access or text file
- Compatible with OHAUS scales and balances* equipped with RS232

* list of compatible products available on request

